
Vent-free GC/MS Adapter

A simple interface used with Py-GC/MS allowing easy switching of separation columns.

Vent-free GC/MS Adapter¹⁾ is a simple and useful interface used for GC/MS analysis, and allows switching of a GC separation columns while the MS detector is in operation by connecting a highly deactivated capillary tube (id 0.15 mm, length 50 cm or 70 cm) between the separation column and the MS detector. Changing columns takes only a few minutes.

Features

- It allows fast switching of a separation column and/or an EGA tube without venting the MS detector which saves time and increases productivity.
- When the GC/MS is not in use, attach a plug at the VF holder **ECO** N as shown in the figure on the right. This will greatly save the consumption of the carrier gas.



- The VF tube is rugged and inert and will not absorb polar species when in use.
- Vent-free GC/MS Adapter is easily installed by users.

The Vent-free GC/MS Adapter is especially useful when a Py-GC/MS separation column and a capillary tube for evolved gas analysis (EGA) are switched between analysis using a Multi-Shot Pyrolyzer. The Vent-free GC/MS Adapter is engineered and manufactured by Frontier Laboratories.

1) C. Watanabe, et al., Anal. Sci., 2011, 27(11), 1087

Specifications


- Supported GC/MS
 - Part number: MS402280 (1 set)
 - Agilent (5977, 5975, 5973)
 - Shimadzu (GCMS-QP2020NX, QP2010 series)
 - JEOL (K9, etc.)
 - Thermo Fisher (DSQ, ISQ series): TRACE1600/1610/1300/1310 GC

Part number: MS402290 (1 set)

Thermo Fisher (DSQ, ISQ series): TRACE Ultra, Focus GC

Part number: MS402295 (1 set)

- PerkinElmer (Clarus series)
- Other Quadrupole GC/MS
- Maximum temperature: 400 °C (320 °C for MS402290)
- Column
 - Ultra ALLOY™ (0.15 / 0.25 mm i.d.)
 - Fused Silica (0.25 / 0.32 mm i.d.)
 - * TM : Trademark of Frontier Laboratories Ltd.



Flow diagram of Vent-free GC/MS Adapter connected to a GC/MS



FRONTIER LABORATORIES LTD. 4-16-20 Saikon, Koriyama, Japan, 963-8862 TEL:81(24)935-5100 FAX:81(24)935-5102 www.frontier-lab.com